

Update May 10, 2023

BIBLIOGRAPHY:

1. Hiruma J, Noguchi H, Shimizu T, Hiruma M, Harada K, Kano R. Epidemiological study of antifungal-resistant dermatophytes isolated from Japanese patients. *J Dermatol.* Published online on March 20, 2023.
2. Hiruma J, Kimura U, Noguchi H, Hiruma M, Harada K, Kano R. In vitro Azole Susceptibility Testing of Japanese Isolates of Terbinafine-Resistant *Trichophyton indotinea* and *Trichophyton rubrum*. *Med Mycol J.* 64: 23-25, 2023.
3. Suzuki H, Hashimoto T, Sugiura R, Ogata H, Noguchi H, Hiruma M, Yaguchi T, Satoh T. Disseminated cutaneous hyalohyphomycosis caused by *Fusarium proliferatum* in a patient with aplastic anemia. *J Dermatol.* Published online on January 5, 2023.
4. Kano R, Watanabe M, Tsuchihashi H, Ogawa T, Ogawa Y, Komiyama E, Hirasawa Y, Hiruma M, Ikeda S. Antifungal Susceptibility Testing for *Microsporum canis* from Cats in Japan. *Med Mycol J.* 64: 19-22, 2023.
5. Miyata A, Kimura U, Hiruma M, Tanaka M, Takamori K, Suga Y. An atypical case of cutaneous candidiasis caused by a face mask: With useful dermoscopic findings. *J Dermatol.* 50: e24-e25, 2023.
6. Watanabe M, Tsuchihashi H, Ogawa T, Ogawa Y, Komiyama E, Hirasawa Y, Hiruma M, Kano R, Ikeda S. Microsporum canis Infection in a Cat Breeder Family and an Investigation of Their Breeding Cats. *Med Mycol J.* 63: 139-142, 2022.
7. Kashiwada-Nakamura K, Noguchi H, Hiruma M, Tanaka M, Yaguchi T, Kusaba Y, Miyashita A, Hayashi H, Fukushima S. Dermoscopic findings of sporotrichosis manifesting as a punched-out ulcer. *J Dermatol.* 49: e449-e450, 2022.
8. Noguchi H, Matsumoto T, Kubo M, Kimura U, Hiruma M, Yaguchi T, Yamada T, Kano R. Dermatophytoma caused by terbinafine-resistant *Trichophyton rubrum* treated with fosravuconazole. *J Dermatol.* 49: e407-e408, 2022.
9. Noguchi H, Matsumoto T, Kubo M, Kimura U, Hiruma M, Tanaka M, Yaguchi T, Yamada T, Kano R. Effective Response of Dermatophytoma Caused by Terbinafine-Resistant *Trichophyton interdigitale* Solely to Topical Efinaconazole. *Mycopathologia.* 187: 421-422, 2022.
10. Kano R, Kimura U, Noguchi H, Hiruma M. Clinical Isolate of a Multi-Antifungal-Resistant *Trichophyton rubrum*. *Antimicrob Agents Chemother.* 66: e0239321, 2022.
11. Noguchi H, Matsumoto T, Kimura U, Hiruma M, Yaguchi T, Yamada T, Kano R. 2022. Dermatophytoma caused by terbinafine-resistant *Trichophyton rubrum* treated with fosravuconazole. *J. Dermatol.* Submitted for publication on February 25, 2022. (Current status on March 24, 2022: Revised version under review)

12. Noguchi H, Matsumoto T, Kimura U, Hiruma M, Kano R, Yaguchi T, Kubo M, Kashiwada-Nakamura K, Fukushima S. 2022. Empiric antifungal therapy in patients with cutaneous and subcutaneous phaeohyphomycosis. *J. Dermatol.* 49: 564-571, 2022.
13. Toyosawa Y, Kimura U, Kurihara M, Noguchi H, Matsumoto T, Hiruma M, Nakazawa T, Takamori K, Suga Y. Kerion celsi caused by *Nannizzia gypsea* in a two-year-old child who had been hospitalized since birth. *Med Mycol J.* 2022; 63: 21-23.
14. Kano R, Noguchi H, Hiruma M. A deletion mutation in the amino acid sequence of squalene epoxidase in terbinafine-resistant *Trichophyton rubrum*. *J Infect Chemother.* 28: 741-744, 2022.
15. Noguchi H, Matsumoto T, Kimura U, Hiruma M, Kano R, Yaguchi T, Kubo M, Kashiwada-Nakamura K, Fukushima S. Empiric antifungal therapy in patients with cutaneous and subcutaneous phaeohyphomycosis. *J Dermatol.* 49: 564-571, 2022.
16. Noguchi H, Matsumoto T, Kimura U, Hiruma M, Kano R, Yaguchi T, Kashiwada-Nakamura K, Fukushima S. Textbook case of onychomycosis caused by *Scopulariopsis brevicaulis*. *J Dermatol.* 2022; 49: e38-e39.
17. Noguchi H, Matsumoto T, Kimura U, Hiruma M, Kano R, Yaguchi T, Nakamura-Kashiwada K, Fukushima S. Ungual hyalohyphomycosis caused by *Penicillium citrinum* successfully treated with fosravuconazole. *J Dermatol* 2021; 48: e608-e609.
18. Noguchi H, Matsumoto T, Hiruma M, Kimura U, Kashiwada-Nakamura K, Kubo M, Yaguchi T, Fukushima S, Kano R. Cluster infection caused by a terbinafine-resistant dermatophyte at a group home: The first case series in Japan. *Acta Derm Venereol* 101: adv00563, 2022.
19. Kano R, Noguchi H, Harada K, Hiruma M. Rapid molecular detection of terbinafine-resistant dermatophytes. *Med Mycol J.* 2021; 62: 41-42.
20. Miyata A, Kimura U, Noguchi H, Matsumoto T, Hiruma M, Kano R, Takamori K, Suga Y. *Tinea capitis* caused by *Trichophyton violaceum* successfully treated with fosravuconazole. *J Dermatol.* 2021; 48: e331-e332.
21. Hiruma J, Noguchi H, Hase M, Tokuhisa Y, Shimizu T, Ogawa T, Hiruma M, Harada K, Kano R. Epidemiological study of terbinafine-resistant dermatophytes isolated from Japanese patients. *J Dermatol.* 48: 564-567, 2021.
22. Kano R, Kimura U, Kakurai M, Hiruma J, Kamata H, Suga Y, Harada K. *Trichophyton indotinea* sp. nov.: A new highly terbinafine-resistant anthropophilic dermatophyte species. *mycopathologia.* 185:947-958, 2020
23. Ogawa T, Ogawa Y, Hiruma M, Kano R, Ikeda S. *Tinea manuum* caused by *Trichophyton erinacei*. *J Dermatol.* 47:e344-e345, 2020.
24. Noguchi H, Matsumoto T, Kimura U, Hiruma M, Kano R, Kubo M, Fukushima S, Ihn H. Fosravuconazole to treat severe onychomycosis in the elderly. *J Dermatol* 48: 228-231, 2021.

25. Izumikawa K, Kakeya H, Sakai F, Shibuya K, Sugita T, Takazono T, Takata T, Tashiro M, Teruya K, Nakamura S, Noguchi H, Hiruma M, Makimura K, Miyazaki T, Miyazaki Y, Yamagishi Y, Yoshida K, Watanabe A. Executive Summary of JSMM Clinical Practice Guidelines for Diagnosis and Treatment of Cryptococcosis 2019. *Med Mycol J* 61: 61-89, 2020.
26. Hirose M, Noguchi H, Matsumoto T, Kimura U, Hiruma M, Kano R, Yaguchi T, Fujimoto N, Satoh T, Ihn H. Ungual hyalohyphomycosis caused by *Fusarium cugenangense*. *Clin Case Rep* 8: 3533-3538, 2020.
27. Noguchi H, Matsumoto T, Kimura U, Hiruma M, Kano R, Yaguchi T, Ihn H. Non-dermatophyte mould onychomycosis in Japan. *Med Mycol J* 61: 23-31, 2020.
28. Noguchi H, Matsumoto T, Kimura U, Hiruma M, Kano R, Yaguchi T, Fukushima S, Ihn H. Ungual Hyalohyphomycosis caused by *Fusarium proliferatum* successfully treated with fosravuconazole. *J Dermatol* 47: e251-e253, 2020.
29. Kimura U, Hiruma M, Kano R, Matsumoto T, Noguchi H, Takamori K, Suga Y. Caution and warning: Arrival of terbinafine-resistant *Trichophyton interdigitale* of the Indian genotype, isolated from extensive dermatophytosis, in Japan. *J Dermatol* 47: e192-e193, 2020.
30. Noguchi H, Matsumoto T, Kimura U, Hiruma M, Kano R, Yaguchi T, Fukushima S, Ihn H. Onychomycosis caused by *Trichosporon cacaoliposimilis*. *J Dermatol* 47: e193-e195, 2020.
31. Kano R, Hiruma J, Yokota M, Noguchi H, Hase M, Kamata H, Harada K, Hiruma M. In vitro raruconazole susceptibility of anthropophilic dermatophyte strains from Japanese patients. *Jpn J Infect Dis* 73: 250-252, 2020.
32. Ishijima SA, Hiruma M, Sekimizu K, Abe S. Detection of *Trichophyton* spp. from footwear of patients with tinea pedis. *Drug Discov Ther*. 13: 207-211, 2019.
33. Miyashita K, Matsuo A, Johno M, Noguchi H, Matsumoto T, Hiruma M, Kimura U, Kano R, Yaguchi T, Ihn H. Subcutaneous cystic phaeohyphomycosis caused by *Exophiala jeanselmei*. *J Dermatol* 46: e449-451, 2019.
34. Noguchi H, Matsumoto T, Hiruma M, Kimura U, Kano R, Yaguchi T, Fukushima S, Ihn H. Tinea unguium caused by terbinafine-resistant *Trichophyton rubrum* successfully treated with fosravuconazole. *J Dermatol* 46: e446-e447, 2019.
35. Noguchi H, Matsumoto T, Hiruma M, Kimura U, Yaguchi T, Hirose M, Fukushima S, Ihn H. Interdigital hyalohyphomycosis caused by members of the *Fusarium solani* species complex. *Acta Derm Venereol* 99: 835-836, 2019.
36. Noguchi H, Matsumoto T, Kimura U, Hiruma M, Kano R, Yaguchi T, Fukushima S, Ihn H. Fungal melanonychia caused by *Candida parapsilosis* successfully treated with oral fosravuconazole. *J Dermatol* 46: 911-913, 2019.
37. Noguchi H, Matsumoto T, Hiruma M, Kusuhsara M, Ihn H. Cutaneous cryptococcus. *Med Mycol* 60: 101-107, 2019.

38. Sato T, Kitahara H, Honda H, Katsukawa F, Hiruma M, Yaguchi T. Onychomycosis of the Middle Finger of a Japanese Judo Athlete due to *Trichophyton tonsurans*. Med Mycol J. 60: 1-4, 2019
39. Hiruma J, Kitagawa H, Noguchi H, Kano R, Hiruma M, Kamata H, Harada K. Terbinafine-resistant strain of *Trichophyton interdigitale* strain isolated from a tinea pedis patient. J Dermatol. 46: 351-353, 2019
40. Kim J, Tsuchihashi H, Hiruma M, Kano R, Ikeda S. Tinea Corporis Due to *Trichophyton erinacei* Probably Transmitted from a Hedgehog. Med Mycol J. 59: E77-E79, 2018
41. Kimura U, Hiruma M, Kano R, Matsumoto T, Takamori K, Suga Y. Onychomycosis caused by *Scopulariopsis brevicaulis*: The third documented case in Japan. J Dermatol. 46: e167-e168, 2018
42. Hirose M, Noguchi H, Yaguchi T, Matsumoto T, Hiruma M, Fukushima S, Ihn H. Onychomycosis caused by *Aspergillus subramanianii*. J Dermatol. 45: 1362-1366, 2018
43. Noguchi H, Matsumoto T, Hiruma M, Asao K, Hirose M, Fukushima S, Ihn H. Topical efinaconazole: A promising therapeutic medication for tinea unguium. J Dermatol. 2018; 45: 1225-1228, 2018
44. Kurihara M, Kimura U, Hiruma M, Takamori K, Suga Y. Trial of hyperthermic treatment for Bowen's disease with disposable chemical pocket warmers: A report of two cases. J Dermatol. 2018; 45: e136-e137, 2017
45. Toyoki M, Hase M, Hirasawa Y, Umeyama T, Miyazaki Y, Kano R, Sugita T, Hiruma M, Kodama Y, Ikeda S. A giant dermatophyte abscess caused by *Trichophyton rubrum* in an Immunocompromised Patient. Med Mycol J 58: E63-E66, 2017
46. Noguchi H, Hiruma M, Matsumoto T, Yaguchi T, Tashima H, Ihn H. Multiple subcutaneous *Candida* abscesses on the palm and finger in an immunocompetent patient. J Dermatol 44: e176-e177, 2017
47. Noguchi H, Hiruma M, Matsumoto T, Kano R, Tanaka M, Yaguchi T, Sonoda K, Ihn H. Fungal Melanonychia: Ungual Phaeohyphomycosis caused by *Botryosphaeria dothidea*. Acta Derm Venereol 97: 765-766, 2017
48. Noguchi H, Hiruma M, Matsumoto T, Yaguchi T, Sano A, Mitsui N, Watanabe S, Ihn H. Subcutaneous cystic phaeohyphomycosis due to *Pleurostomophora richardsiae*. J Dermatol 44: e62-e6, 2017
49. Tsunemi Y, Hiruma M. Reply letter. J Dermatol. 43: 1453-1454. 2016
50. Noguchi H, Hiruma M, Matsumoto T, Kano R, Ihn H. Ungual hyalohyphomycosis caused by *Fusarium proliferatum* in an immunocompetent patient. J Dermatol 44: 88-90, 2017
51. Noguchi H, Hiruma M, Maruo K, Jono M, Miyata K, Tanaka H, YTanabe K, Miyazaki, Ihn H. Localized cutaneous cryptococcosis: Summary of reported cases in Japan. Med Mycol J 57E: E35-E39, 2016
52. Noguchi H, Hiruma M, Miyashita A, Makino K, Miyata K, Ihn H. A case of fingernail

- onychomycosis due to *Aspergillus flavus*. Med Mycol J 57: E21-E25, 2016.
53. Tsunemi Y, Hiruma M. Clinical study of Dermatophyte test strip, an immunochromatographic method, to detect tinea unguium dermatophytes. J Dermatol 43: 1417-1423, 2016
54. Hiruma J, Okubo M, Kano R, Kumagawa M, Hiruma M, Hasegawa A, Kamata H, Tsuboi R. Mating type gene (MAT) and itraconazole susceptibility of *Trichophyton tonsurans* strains isolated in Japan. Mycopathologia 181: 441-444, 2016
55. Ishii S, Hiruma M, Hayakawa Y, Sugita T, Makimura K, Hiruma M, Yoshiike T. Cutaneous *Pseudallescheria boydii/Scedosporium apiospermum* complex (Molecular type: *Scedosporium apiospermum* [Clade 4]) Infection: A case report and literature review of cases from Japan. Med Mycol J 56: 25-30, 2015
56. Yanagihara S, Kobayashi H, Kamo R, Hirata C, Hiruma M, Nishimura K, Yaguchi T, Yoshida Y, Yamamoto O, Tsuruta D. Chromoblastomycosis caused by *Fonsecaea nubica*: First report from Japan. J Dermatol 42: 833-834, 2015
57. Kimura U, Yokoyama K, Hiruma M, Kano R, Takamori K, Suga Y. Tinea faciei caused by *Trichophyton mentagrophytes* (molecular type *Arthroderma benhamiae*)
58. Kimura U, Yokoyama K, Hiruma M, Kano R, Takamori K, Suga Y. Tinea faciei caused by *Trichophyton mentagrophytes* (molecular type *Arthroderma benhamiae*) mimics impetigo : a case report and literature review of cases in Japan. Med Mycol J 56: 1-5, 2015
59. Noguchi H, Hiruma M, Inoue Y, Miyata K, Tanaka M, Ihn H. Tinea nigra showing a parallel ridge pattern on dermoscopy. J Dermatol 42: 518-20, 2015
60. Hiruma J, Ogawa Y, Hiruma M. *Trichophyton tonsurans* infection in Japan: epidemiology, clinical features, diagnosis and infection control. J Dermatol 42: 245-249, 2015
61. Noguchi H, Jinnin M, Miyata K, Hiruma M, Ihn H. Clinical features of 80 cases of tinea faciei treated at a rural clinic in Japan. Drug Discov Ther 8: 245-248, 2014
62. Kanemaru M, Tashima S, Yamazaki A, Masuda K, Nagoshi H, Kobayashi T, Kuroda J, Hiruma M, Taniwaki M, Katoh N. Disseminated mucormycosis due to *Rhizopus oryzae* diagnosed by skin biopsy. J Dermatol 42: 100-101, 2015
63. Hiruma J, Kano R, Harada K, Monod M, Hiruma M, Hasegawa A, Tsuboi R. Occurrence of *Arthroderma benhamiae* Genotype in Japan. Mycopathologia 179: 219-223, 2015
64. Hiruma J, Kano R, Kimura U, Takamori K, Suga Y, Hiruma M, Hasegawa A, Tsuboi R. Mating type gene for isolates of *Trichophyton mentagrophytes* from guinea pigs. J Dermatol 48: 743-745. 2014
65. Kano R, Tsui CK, Hamelin RC, Anzawa K, Mochizuki T, Nishimoto K, Hiruma M, Kamata H, Hasegawa A. The MAT1-1: MAT1-2 Ratio of *Sporothrix globosa* Isolates in Japan. Mycopathologia 179: 81-86, 2015
66. Yamaguchi S, Sano A, Hiruma M, Murata M, Kaneshima T, Murata Y, Takahashi H, Takahashi S,

- Takahashi Y, Chibana H, Touyama H, Ha NT, Nakazato Y, Uehara Y, Hirakawa M, Imura Y, Terashima Y, Kawamoto Y, Takahashi K, Sugiyama K, Hiruma M, Murakami M, Hosokawa A, Uezato H. Isolation of dermatophytes and related species from domestic fowl (*Gallus gallus domesticus*). *Mycopathologia* 178:135-43, 2014
67. Kawai M, Suzuki T, Hiruma M, Ikeda S. A retrospective cohort study of tinea pedis and tinea unguium in inpatients in a psychiatric hospital. *Med Mycol J* 55: 35-41, 2014
68. Hiruma M, Cho O, Hiruma M, Kurakado S, Sugita T, Ikeda S. Genotype analyses of human commensal scalp fungi, *Malassezia globosa*, and *Malassezia restricta* on the scalps of patients with dandruff and healthy subjects. *Mycopathologia* 177: 263-9, 2014
69. Kano R, Sobukawa H, Suzuki M, Hiruma M, Shibuya K, Hasegawa A, Kamata H. Immunohistopathology of *Prototheca wickerhamii* in cutaneous lesions of protothecosis. *Med Mycol J* 55: E29-32, 2014
70. Noguchi H, Miyata K, Sugita T, Hiruma M, Hiruma M. Treatment of onychomycosis using a 1064nm Nd:YAG laser. *Med Mycol J* 54: 333-9, 2013
71. Fukai T, Hiruma M, Ogawa Y, Ikeda S, Ikeda H, Sano A, Makimura K. A case of phaeohyphomycosis caused by *Exophiala oligosperma* successfully treated with local hyperthermia. *Med Mycol J* 54: 297-301, 2013
72. Kano R, Anzawa K, Mochizuki T, Nishimoto K, Hiruma M, Kamata H, Hasegawa A. *Sporothrix schenckii* (sensu strict *S. globosa*) mating type 1-2 (MAT1-2) gene. *J Dermatol* 40: 726-30, 2013
73. Ogawa Y, Ichinokawa Y, Hiruma M, Machida Y, Funakushi N, Sadamasa H, Hiruma M. Retrospective cohort study on combination therapy with the histamine H<sub>2</sub>-receptor antagonist lafutidine for antihistamine-resistant chronic urticaria. *J Dermatolog Treat.* 24: 463-5, 2013
74. Hirose N, Tamura M, Saganami M, Ogawa YS, Hiruma M. The results of *Trichophyton tonsurans* screening examinations and infection management in University Judo Federation of Tokyo athletes over a 4-year period. *Med Mycol J* 53: 267-71, 2012
75. Kano R, Isizuka M, Hiruma M, Mochizuki T, Kamata H, Hasegawa A. Mating type gene (MAT1-1) in Japanese isolates of *Trichophyton rubrum*. *Mycopathologia* 175: 171-3, 2013
76. Yamada A, Noguchi H, Sakae H, Sugita T, Hiruma M, Hiruma M. A case of onychomycosis caused by *Aspergillus sydowii*. *Med Mycol J* 53: 205-9, 2012
77. Hiruma M, Kano R, Sugita T, Mochizuki T, Hasegawa A, Hiruma M. Urease gene of *Trichophyton rubrum* var. *raubitschekii*. *J Dermatol* 40: 111-113, 2013
78. Hiruma M, Kano R, Sugita T, Mochizuki T, Hasegawa A, Hiruma M. Epidemiological aspects of *Trichophyton rubrum* var. *raubitschekii* in Japan. *J Dermatol* 39: 1000-1001, 2012
79. Ichinokawa Y, Ohtuki A, Hattori M, Sadamasa H, Hiruma M, Matumoto T. A case of syringomatous adenoma of the nipple. *Case Rep Dermatol* 4: 98-103, 2012
80. Kimura U, Takeuchi K, Kinoshita A, Takamori K, Hiruma M, Suga Y. Treating onychomycoses

of the toenail: clinical efficacy of the sub-millisecond 1,064 nm Nd: YAG laser using a 5 mm spot diameter. *J Drugs Dermatol* 11: 496-504, 2012

81. Ichinokawa Y, Sadamasa H, Hiruma M, Matumoto T, Shinozaki M, Shibuya K, Fukunaga M. Case of aggressive angiomyxoma of the vulva. *J Dermatol* 39: 934-935, 2012
82. Nagata R, Nagano H, Ogishima D, Nakamura Y, Hiruma M, Sugita T. Transmission of the major skin microbiota, *Malassezia*, from mother to neonate. *Pediatr Int* 54: 350-355, 2012
83. Kano R, Kawasaki M, Mochizuki T, Hiruma M, Hasegawa A. Mating genes of the *Trichophyton mentagrophytes* complex. *Mycopathologia* 173:103-112, 2012
84. Sakae H, Noguchi H, Hattori M, Hiruma M. Observation of micro- and macroconidia in *Trichophyton violaceum* from a case of Tinea faciei. *Mycoses* 54: e656-8, 2011
85. Hattori M, Yoshiike T, Sonoda T, Hiruma M. A case of lymphocutaneous sporotrichosis occurring at the nail bed. *Mycoses* 54: 663-665, 2011
86. Aihara M, Hasegawa T, Okuyama Y, Hiruma M, Ikeda S. Langerhans cell histiocytosis treated with narrow-band ultraviolet B. *J Dermatol* 38: 151-154, 2011
87. Watanabe S, Harada T, Hiruma M, Iozumi K, Katoh T, Mochizuki T, Naka W, Japan Foot Week Group. Epidemiological survey of foot diseases in Japan: results of 30,000 foot checks by dermatologists. *J Dermatol* 37: 397-406, 2010.
88. Tokuhisa Y, Hagiya Y, Hiruma M, Nishimura K. Phaeohyphomycosis of the face caused by *Exophiala oligosperma*. *Mycoses* 54: 240-243, 2010.
89. Hirose N, Suganami M, Ogawa YS, Hiruma M, Ogawa H. Screening examination and treatment of *Trichophyton tonsurans* infection in judo athletes affiliated with the University Judo Federation of Tokyo. *Mycoses* 54: 35-38, 2009.
90. Kaga M, Sugita T, Nishikawa A, Wada Y, Hiruma M, Ikeda S. Molecular analysis of the cutaneous *Malassezia* microbiota from the skin of patients with atopic dermatitis of different severities. *Mycoses* 54: 24-28, 2009.
91. Abdel-Rahman SM, Sugita T, González GM, Ellis D, Arabatzis M, Vella-Zahra L, Viguié-Vallanet C, Hiruma M, Leeder JS, Preuett B. Divergence among an international population of *Trichophyton tonsurans* isolates. *Mycopathologia* 169:1-13, 2010.
92. Sugita T, Suzuki M, Goto S, Nishikawa A, Hiruma M, Yamazaki T, Makimura K. Quantitative analysis of the cutaneous *Malassezia* microbiota in 770 healthy Japanese by age and gender using a real-time PCR assay. *Med Mycol* 21: 1-5, 2009
93. Yang X, Li Y, Zhou X, Wang Y, Geng S, Liu H, Yang Q, Lu X, Hiruma M, Sugita T, Ikeda S, Ogawa H. Rhinofacial conidiobolomycosis caused by *Conidiobolus coronatus* in a Chinese rice farmer. *Mycoses* 53: 369-373, 2009.
94. Yang X, Sugita T, Takashima M, Hiruma M, Li R, Sudo H, Ogawa H, Ikeda S. Differentiation of *Trichophyton rubrum* clinical isolates from Japanese and Chinese patients by randomly amplified

- polymorphic DNA and DNA sequence analysis of the non-transcribed spacer region of the rRNA gene. J Dermatol Sci 54: 38-42, 2009
95. Shiraki Y, Hiruma M, Hirose N, Ikeda S. Commonly affected body sites in 92 Japanese combat sports participants with *Trichophyton tonsurans* infection. Mycoses 52: 339-342, 2008
96. Shiraki Y, Ishibashi Y, Hiruma M, Nishikawa A, Ikeda S. *Candida albicans* abrogates the expression of interferon-gamma-inducible protein-10 in human keratinocytes. FEMS Immunol Med Microbiol 54:122-128, 2008
97. Takahata Y, Hiruma M, Shiraki Y, Tokuhisa Y, Sugita T, Muto M. Treatment of dermatophyte onychomycosis with three pulses of terbinafine (500 mg day for a week). Mycoses 52: 72-76, 2009
98. Hirose N, Suganami M, Shiraki Y, Hiruma M, Ogawa H. Management and follow-up survey of *Trichophyton tonsurans* infection in a university judo club. Mycoses 51: 243-247, 2008
99. Shiraki Y, Hiruma M, Sugita T, Ikeda S. Assessment of the treatment protocol described in the guidelines for *Trichophyton tonsurans* infection. Nippon Ishinkin Gakkai Zasshi 49: 27-31, 2008.
100. Takahata Y, Hiruma M, Sugita T, Muto M. A case of onychomycosis due to *Aspergillus sydowii* diagnosed using DNA sequence analysis. Mycoses 51:170-173, 2008
101. Takahata Y, Sugita T, Kato H, Nishikawa A, Hiruma M, Muto M. Cutaneous *Malassezia* flora in atopic dermatitis differs between adults and children. Br J Dermatol 157:1178-1182, 2007
102. Takahata Y, Sugita T, Hiruma M, Muto M. Quantitative analysis of *Malassezia* in the scale of patients with psoriasis using a real-time polymerase chain reaction assay. Br J Dermatol 157: 670-673, 2007
103. Kondo Y, Hiruma M, Matsushita A, Matsuba S, Nishimura K, Takamori K. Cutaneous phaeohyphomycosis caused by *Veronaea botryosa* observed as sclerotic cells in tissue. Int J Dermatol 46: 625-627, 2007
104. Nakano N, Hiruma M, Shiraki Y, Chen X, Porgpermdee S, Ikeda S. Combination of pulse therapy with terbinafine tablets and topical terbinafine cream for the treatment of dermatophyte onychomycosis: a pilot study. J Dermatol 33: 753-758, 2006
105. Sugita T, Shiraki Y, Hiruma M. Real-time PCR TaqMan assay for detecting *Trichophyton tonsurans*, a causative agent of tinea capitis, from hairbrushes. Med Mycol 44: 579-81, 2006
106. Shiraki Y, Ishibashi Y, Hiruma M, Nishikawa A, Ikeda S. Cytokine secretion profiles of human keratinocytes during *Trichophyton tonsurans* and *Arthroderma benhamiae* infections. J Med Microbiol 55: 1175-1185, 2006
107. Shiraki Y, Hiruma M, Kano R, Miyamoto C, Ikeda S. Case of tinea capitis caused by *Trichophyton mentagrophytes* (molecular type *Arthroderma benhamiae*): prevalence of a new zoonotic fungal infection in Japan. J Dermatol 33: 504-506, 2006
108. Shiraki Y, Hiruma M, Matsuba Y, Kano R, Makimura K, Ikeda S, Ogawa H. A case of tinea

- corporis caused by *Arthroderma benhamiae* (teleomorph of *Trichophyton mentagrophytes*) in a pet shop employee. J Am Acad Dermatol 55:153-154, 2006
109. Haruna K, Shiraki Y, Hiruma M, Ikeda S, Kawasaki M. A case of lymphangitic sporotrichosis occurring on both forearms with a published work review of cases of bilateral sporotrichosis in Japan. J Dermatol 33: 364-367, 2006
110. Kondo M, Nakano N, Shiraki Y, Hiruma M, Ikeda S, Sugita T. A Chinese-Japanese boy with black dot ringworm due to *Trichophyton violaceum*. J Dermatol 33:165-168, 2006
111. Yoshida E, Makimura K, Mirhendi H, Kaneko T, Hiruma M, Kasai T, Uchida K, Yamaguchi H, Tsuboi R. Rapid identification of *Trichophyton tonsurans* by specific PCR based on DNA sequences of nuclear ribosomal internal transcribed spacer (ITS) 1 region. J Dermatol Sci 42: 225-230, 2006
112. Shiraki Y, Hiruma M, Hirose N, Sugita T, Ikeda S. A nationwide survey of *Trichophyton tonsurans* infection among combat sport club members in Japan using a questionnaire form and the hairbrush method. J Am Acad Dermatol 54: 622-626, 2006
113. Sugita T, Shiraki Y, Hiruma M. Genotype analysis of the variable internal repeat region in the rRNA gene of *Trichophyton tonsurans* isolated from Japanese Judo practitioners. Microbiol Immunol 50: 57-60, 2006
114. Ogasawara Y, Takita Y, Hiruma M, Mikami Y, Muto M. Primary cutaneous nocardiosis due to *Nocardia brasiliensis* in an immunocompetent patient. J Dermatol 32: 230-232, 2005
115. Nihei N, Hiruma M, Ikeda S, Ogawa H. A case of Bowen's disease showing a clinical tendency toward spontaneous regression. J Dermatol 31: 569-572, 2004
116. Chen X, Hiruma M, Shiraki Y, Ogawa H. Combination therapy of once-weekly fluconazole (100, 150, or 300 mg) with topical application of ketoconazole cream in the treatment of onychomycosis. Jpn J Infect Dis 57: 260-263, 2004
117. Sanmano B, Hiruma M, Mizoguchi M, Ogawa H. Combination therapy consisting of week pulses of oral terbinafine plus topical application of terbinafine cream in the treatment of onychomycosis. J Dermatolog Treat 15: 245-51, 2004
118. Ogasawara Y, Hara J, Hiruma M, Muto M. A case of black dot ringworm attributable to *Trichophyton violaceum*: A simple method for identifying macroconidia and microconidia formation by Fungi-tapeTM and MycoPerm-BlueTM. J Dermatol 31: 424-427, 2004
119. Matsushita A, Jilong L, Hiruma M, Kobayashi M, Matsumoto T, Ogawa H, Padhye A. Subcutaneous phaeohyphomycosis caused by *Veronaea botryosa* in the People's Republic of China. J Clin Microbiol 41: 2219-2222, 2003
120. Maruyama R, Hiruma M, Yamauchi K, Teraguchi S, Yamaguchi H. An epidemiological and clinica study of untreated patients with tinea pedis within a company in Japan. Mycoses 46: 208-221, 2003

121. Ogasawara Y, Hiruma M, Muto M, Ogawa H. Clinical and mycological study of occult tinea pedis and tinea unguium in dermatological patients from Tokyo. *Mycoses* 46: 114-119, 2003
122. Murayama N, Takimoto R, Kawai M, Hiruma M, Takamori K, Nishimura K. A case of subcutaneous phaeohyphomycotic cyst due to *Exophiala jeanselmei* complicated with systemic rupus erythematosus. *Mycoses* 46: 145-148, 2003
123. Fukao M, Kawada A, Aragane Y, Tezuka T, Hiruma M. Tinea corporis due to *Microsporum gypseum* in a cat fancier. *J Dermatol* 30: 637-638, 2003
124. Sanmano B, Hiruma M, Mizoguchi M, Ogawa H. Abbreviated oral itraconazole therapy for tinea corporis and tinea cruris. *Mycoses* 46: 316-321, 2003
125. Hashimoto Y, Hiruma M, Hisamichi K, Mitsuishi K, Mikami Y, Ogawa H. Primary cutaneous nocardiosis with multiple, subcutaneous abscesses in a patient with sarcoidosis. *J Dermatol Treat* 13: 201-204, 2002
126. Hisamichi K, Hiruma M, Yamazaki M, Matsushita A, Ogawa H. Efficacy of oral minocycline and hyperthermic treatment in a case of atypical mycobacterial skin infection by *Mycobacterium marinum*. *J Dermatol* 29: 810-811, 2002
127. Okeke CN, Tsuboi R, Kawai M, Hiruma M, Ogawa H. Isolation of an intron-containing partial sequence of the gene encoding dermatophyte actin (ACT) and detection of a fragment of the transcript by reverse transcription-nested PCR as a means of assessing the viability of dermatophytes in skin scales. *J Clin Microbiol* 39: 101-106, 2001
128. Basnet SB, Basnet NB, Hiruma M. Tinea capitis infection in school children of Nepal. *J Epidemiol* 11:126-30, 2001
129. Kobayashi M, Hiruma M, Matsushita A, Kawai M, Ogawa H, Udagawa S. Cutaneous zygomycosis: a case report and review of Japanese reports. *Mycoses* 44: 311-315, 2001
130. Hiruma M, Matsushita A, Kobayashi M, Ogawa H. One week pulse therapy with itraconazole (200mg day-1) for onychomycosis. Evaluation of treatment results according to patient background. *Mycoses* 44: 87-93, 2001
131. Hiruma M, Kawada A. Hyperthermic treatment of Bowen's disease with disposable chemical pocket warmers: a report of 8 cases. *J Am Acad Dermatol* 43: 1070-1075, 2000
132. Kawada A, Aragane Y, Maeda A, Yudate T, Tezuka T, Hiruma M. Tinea barbae due to *Trichophyton rubrum* with possible involvement of autoinoculation. *Br J Dermatol* 142: 1064-1065, 2000
133. Basnet SB, Basnet NB, Hiruma M, Inaba Y, Makimura K, Kawada A. Mycological examination of the hair samples of 11 school-going Nepalese children suspected of tinea capitis. *Mycoses* 43: 51-54, 2000
134. Kobayashi M, Hiruma M, Suga Y, Nishimura K, Ogawa H. A patient with a seborrheic keratosis which caused impaired hearing by closure of the external auditory meatus. *Int J Dermatol*

39: 550-551. 2000

135. Yamauchi K, Hiruma M, Yamazaki N, Wakabayashi H, Kuwata H, Teraguchi S, Hayasawa H, Suegara N, Yamaguchi H. Oral administration of bovine lactoferrin for treatment of tinea pedis. A placebo-controlled, double-blind study. *Mycoses* 43: 197-202, 2000
136. Shiraishi H, Gomi H, Kawada A, Matsuo I, Hiruma M. Solitary sporotrichosis lasting 10 years. *Dermatology* 198: 100-101, 1999
137. Yoshida M, Tamura T, Hiruma M. Analysis of strain variation of R1 repeated structure in varicella-zoster virus DNA by polymerase chain reaction. *J Med Virol* 58: 76-78, 1999
138. Noguchi H, Hiruma M, Kawada A. Effectiveness of treatment of severe tinea pedis with 1% terbinafine cream in members of the Japanese Self-Defense Forces. *Mycoses* 42: 479-484, 1999
139. Noguchi H, Hiruma M, Kawada A. Case report. Sporotrichosis successfully treated with itraconazole in Japan. *Mycoses* 42: 571-576, 1999
140. Noguchi H, Hiruma M, Kawada A, Fujimoto N, Fujioka A, Ishibashi A. A pediatric case of atypical *Mycobacterium avium* infection of the skin. *J Dermatol* 25: 384-390, 1998
141. Inoue H, Kawada A, Takasu T, Maruyama R, Hata Y, Hiruma M, Tajima S, Ishibashi A. Cathepsin D expression in skin metastasis of breast cancer. *Cutaneous Pathology* 25: 365-369, 1998
142. Atsumi J, Kobayashi T, Hiruma M, Ishibashi A, Kawada A. Unusual papular lesions of sebaceous nevus in the auricle. *Acta Dermatologica (Kyoto)* 93: 1- 2, 1998
143. Kimura M, Kawada A, Hiruma M, Ishibashi A. A case of urticarial drug eruption from loxoprofen sodium. *Clin Exp Dermatol* 22: 303-304, 1997
144. Chishiki M, Kawada A, Fujioka A, Hiruma M, Ishibashi A, Banba H. Photosensitivity due to ampiroxicam. *Dermatology* 195: 409-410, 1997
145. Kawada A, Hiruma M, Noguchi H, Ishibashi A, Motoyoshi K, Kawada I. Granulocyte and macrophage colony-stimulating factors stimulate proliferation of human keratinocytes. *Arch Dermatol Res* 289: 600-602, 1997
146. Kawada A, Hara K, Kominami E, Hiruma M, Akiyama M, Ishibashi A, Abe H, Ichikawa E, Nakamura Y, Watanabe S, Yamamoto T, Umeda T, Nishioka K. Expression of cathepsin D and B in invasion and metastasis of squamous cell carcinoma. *Brit J Dermatol* 137: 361-366, 1997
147. Tanaka N, Kawada A, Ohnishi Y, Hiruma M, Tajima S, Akiyama M, Ishibashi A. Photosensitivity due to doxycycline hydrochloride with an unusual flare. *Contact Dermatitis* 37: 93-94, 1997
148. Kawada A, Hiruma M, Fujioka A, Tajima S, Akiyama M, Ishibashi A. Simultaneous contact sensitivity due to lidocaine and crotamiton. *Contact Dermatitis* 37: 45, 1997
149. Kawada A, Morimoto K, Hiruma M, Akiyama M, Ishibashi A. An evaluation of broad-spectrum sunscreens (5) -protection against UVA-induced immediate tanning-. *Acta*

Dermatologica (Kyoto) 92: 99-102, 1997

150. Kawada A, Hiura N, Shiraiwa M, Tajima S, Hiruma M, Hara K, Ishibashi A, Takahara H. Stimulation of human keratinocyte growth by alginate oligosaccharides, a possible co-factor for epidermal growth factor in cell culture. *FEBS Letters* 408: 43-46, 1997
151. Kawada A, Hiruma M, Miura Y, Noguchi H, Akiyama M, Ishibashi A. Photosensitivity due to actarit. *Contact Dermatitis* 36: 175-176, 1997
152. Kawada A, Hara K, Kominami E, Hiruma M, Noguchi H, Ishibashi A. Processing of cathepsins L, B, and D in psoriatic epidermis. *Arch Dermatol Res* 289: 87-93, 1997
153. Kawada A, Hiruma M, Fujioka A, Tajima S, Ishibashi A, Kawada I. Contact dermatitis from neticonazole. *Contact Dermatitis* 36: 106-107, 1997
154. Kawada A, Noguchi H, Hiruma M, Tajima S, Ishibashi A, Marshall J. Fixed drug eruption induced by lidocaine. *Contact Dermatitis* 35: 375, 1996
155. Kawada A, Hiruma M, Noguchi H, Ishibashi A, Marshall J. Contact dermatitis from tioconazole with cross-sensitivity to other imidazoles. *Environmental Dermatology* 3: 366-369, 1996
156. Morimoto K, Kawada A, Hiruma M, Ishibashi A. Photosensitivity due to pyridoxine hydrochloride (Vitamin B6). *J Am Acad Dermatol* 35: 304-305, 1996
157. Kawada A, Noguchi H, Hiruma M, Ishibashi A. Contact dermatitis of the eyelids from aminocaproic acid. *Acta Dermatologica (Kyoto)* 91: 377-378, 1996
158. Kawada A, Hiruma M, Noguchi H, Banba K, Ishibashi A, Marshall J. Fixed drug eruption induced by ofloxacin. *Contact Dermatitis* 34: 427, 1996
159. Tanaka N, Kawada A, Hiruma M, Tajima S, Ishibashi A, Marshall J. Contact dermatitis from lanoconazole. *Contact Dermatitis* 35: 256-257, 1996
160. Kawada A, Hara K, Kominami E, Kobayashi T, Hiruma M, Ishibashi A. Cathepsin B and D expression in squamous cell carcinoma. *Brit J Dermatol* 135: 905-910, 1996
161. Kawada A, Hiruma M, Noguchi H, Akagi A, Ishibashi A, Marshall J. Fixed drug eruption induced by ethenzamide. *Contact Dermatitis* 34: 369-370, 1996
162. Kawada A, Hiruma M, Noguchi H, Ishibashi A. Fixed drug eruption induced by acetaminophen in a 12-year-old girl. *Int J Dermatol* 35: 148-149, 1996
163. Kawada A, Kobayashi T, Noguchi H, Hiruma M, Ishibashi A, Marshall J. Fixed drug eruption induced by sulfasalazine. *Contact Dermatitis* 34: 155- 156, 1996
164. Kimura M, Kawada A, Kobayashi T, Hiruma M, Ishibashi A. Photosensitivity induced by fleroxacin. *Clinical and Experimental Dermatology* 21: 46-47, 1996
165. Kobayashi T, Kawada A, Hiruma M, Ishibashi A, Aoki A. Prurigo pigmentosa, ketonemia and diabetes mellitus. *Dermatology* 21: 78-80, 1996
166. Kawada A, Hiruma M, Noguchi H, Kimura M, Ishibashi A, Banba H, Marshall J.

- Photosensitivity due to sodium ferrous citrate. Contact Dermatitis 34: 77-78, 1996
167. Kawada A, Hiruma M, Noguchi H, Inoue H, Ishibashi A, Marshall J. Fixed drug eruption induced by allylisopropylacetyl urea. Contact Dermatitis 34: 65-66, 1996
168. Yoshida M, Fukui K, Orita T, Kusuda S, Tezuka T, Hiruma M. Exanthem subitum (roseola infantum) with vesicular lesions. Brit J Dermatol 132: 614-616, 1995
169. Yoshida M, Tezuka T, Hiruma M. Detection of varicella-zoster virus DNA in maternal breast milk from a mother with herpes zoster. Clinical and Diagnostic virology 4: 61-65, 1995
170. Kawada A, Hara K, Hiruma M, Noguchi H, Ishibashi A. Rat epidermal cathepsin L-like proteinase: purification and some hydrolytic properties toward filaggrin and synthetic substrates. J Biochem (Tokyo) 118: 332-337, 1995
171. Kawada A, Hara K, Morimoto K, Hiruma M, Ishibashi A. Rat epidermal cathepsin B: purification and characterization of proteolytic properties toward filaggrin and synthetic substrates. Int J Biochem Cell Biol 27: 175-183, 1995
172. Noguchi H, Hiruma M, Kawada A, Ishibashi A, kono S. Tinea pedis survery in members of the Japanese self-Defense Forces: relationships of its prevalence and its severity with length of military service and width of interdigital spaces. Mycoses 39: 495-499, 1995
173. Yoshida M, Hiruma M, Tezuka T. A case of sporotrichosis treated successfully with oral fluconazole 200mg once weekly. Mycoses 37: 281-283, 1994
174. Kawada A, Hiruma M, Morimoto K, Ishibashi A, Banba H. Fixed drug eruption induced by ciprofloxacin followed by ofloxacin. Contact Dermatitis 31: 182-183, 1994
175. Yoshida M, Sugiyama Y, Harada H, Tezuka T, Iimori M, Hiruma M. Lymphocutaneous nocardiosis with multiple subcutaneous nodules distributed over the extensor aspect forearm. Acta Derm Venereol Stoekh 74: 447-448 1994
176. Noguchi H, Hiruma M, Kawada A, Ishibashi A. Tinea pedis survery in members of the Japanese self-Defense Forces undergoing ranger training. Mycoses 38: 461-467, 1994
177. Morimoto K, Kawada A, Hiruma M, Ishibashi A. An evaluation of whitening effect of serum clanifiant against UVB-induced delayed tanning. Acta Dermatol (Kyoto), 89: 675-678, 1994
178. Yoshida M, Hondo R, Tezuka T, Hiruma M. Male genital herpes complicated with urethral infection. J Dermatol 21: 595-597, 1994
179. Kawada A, Morimoto K, Hiruma M, Noda T, Ishibashi A. A new approach to the evaluation of broad-spectrum sunscreens against ultraviolet and visible light-induced delayed tanning. J Dermatol 21: 571-574, 1994
180. Randhawa H.S, Budimulja U, Bazaz-Malik G, Bramon K, Hiruma M, Kullavanijaya P, Rajananich V. Recent developments in the diagnosis and treatment of subcutaneous mycoses. J Med Vet Mycol 32: 299-307, 1994
181. Kawada A, Noda T, Hiruma M, Ishibashi A, Arai S. The relationship of sun protection factor

- to minimal erythema dose, Japanese skin type, and skin color. *J Dermatol* 20: 514-516, 1993
182. Hiruma M, Kawada A, Yoshida M, Kouya M. Hyperthermic treatment of chromomycosis with disposable chemical pocket warmers. *Mycopathologia* 122: 107-114, 1993
183. Hiruma M, Kawada A, Ohata H, Ohnishi H, Takahashi H, Yamazaki M, Ishibashi A, Hatsuse K, Kakihara M, Yoshida M. Systemic phaeohyphomycosis caused by *Exophiala dermatitidis*. *Mycoses* 35: 1-7, 1993
184. Noda T, Kawada A, Hiruma M, Ishibashi A, Arai S. The comparison of sun protection factor values with different light sources. *J Dermatol* 19: 465-469, 1992
185. Yamazaki M, Hiruma M, Irie H, Ishibashi A. Angiokeratoma of the clitoris: A subtype of angiokeratoma vulvae. *J Dermatol* 19: 553-555, 1992
186. Matsuda O, Makiguchi K, Ishibashi K, Chida Y, Ida T, Matsuda K, Tomita K, Marumo F, Hiruma M. Long-term effects of steroid treatment on nephritic syndrome associated with Kimura's disease and a review of the literature. *Clinical Nephrology* 37: 119-123, 1992
187. Hiruma M, Kawada A, Ishibashi A, Conti-Diaz IA. Hyperthermic treatment of sporotrichosis: Experimental use of infrared and far infrared rays. *Mycoses* 35: 293-299, 1992
188. Hiruma M, Kawada A, Noda T, Yamazaki M, Ishibashi A. Tissue response in sporotrichosis: light and electron microscopy studies. *Mycoses* 35: 35-41, 1992
189. Hiruma M, Kawada A, Ishibashi A, Mikami Y. Localized cutaneous nocardiosis in Japan: A new case. *Mycopathologia* 117: 133-138, 1992
190. Hiruma M, Ohnishi Y, Ohata H, Chikakane K, Takahashi H, Kawada A, Ishibashi A: Chromomycosis of the breast. *Int J Dermatol* 31: 184-185, 1992
191. Yamazaki M, Kawada A, Noda T, Shimizu T, Hiruma M, Ishibashi A. Inhibition spectra of solar urticaria: A case report and a review of the Japanese cases. *J Dermatol* 18: 360-365, 1991
192. Hiruma M, Kawada A, Shimizu T, Kukita A. Tinea of the eyebrow showing kerion celsi reaction: Report of one case. *Cutis* 48: 149-150, 1991
193. Noda T, Kawada A, Hiruma M, Ishibashi A, Arai S. A study of the minimal erythema dose and minimal melanogenic dose for several radiation spectra. *Photomedicine and photobiology* 13: 81-83, 1991
194. Hiruma M, Kawada A, Ishibashi A. Ultrastructure of asteroid bodies in sporotrichosis. *Mycoses* 34:103-107, 1991
195. Kawada A, Noda T, Yamazaki M, Hiruma M, Ishibashi A. Sun protection factors of broad-spectrum sunscreens (1) Determinated by CIE's guideline. *Photomedicine and Photobiology* 12: 155-157, 1990
196. Kawada A, Hiruma M, Noda T, Kukita A. Reproduction of the skin lesions of polymorphous light eruption: A case report and a review of the Japanese literature. *J Dermatol* 17: 191-196, 1990
197. Jin XZ, Zhang HD, Hiruma M, Yamamoto I. Mother-and-child cases of sporotrichosis

- infection. *Mycoses* 33: 33-36, 1990
198. Kawada A, Noda T, Nakada R, Hiruma M, Kukita A. PUVA-protection factors of broad-spectrum sunscreens. *Photomedicine and photobiology* 11: 197-198, 1989
199. Shimizu T, Hiruma M, Akiyama M, Kukita A, Tsuru S. Effect of immunization and potassium iodide on polymorphonuclear leukocyte chemiluminescence in experimental murine sporotrichosis. *Mycoses* 32: 443-447, 1989
200. Kawada A, Hiruma M, Noda T, Kukita A. Skin typing, sun exposure and sunscreen use in a population of Japanese. *J Dermatol* 16: 187-190, 1989
201. Kawada A, Hiruma M, Nakada R, Kukita A. An evaluation of broad-spectrum sunscreens against topical PUVA-induced erythema. *Acta Dermato-Venereologica (Stockh)* 69: 335-337, 1988
202. Hiruma M, Kukita A. Tinea faciei caused by *Microsporum canis* in a newborn. *Dermatologica* 176:130-132, 1988
203. Hiruma M, Yamaji K, Shimizu T, Ohata H, Kukita A. Ultrastructural study of tissue reaction of mice against *Sporothrix schenckii*. *Arch Dermatol Res* 280: S 94-S100, 1988
204. Hiruma M, Kagawa S. Ultrastructure of *Sporothrix schenckii* treated with iodine-potassium iodide solution. *Mycopathologia* 97: 121-127, 1987
205. Hiruma M, Nitta M, Kagawa S. A case of cerebrospinal fluid shunt colonization and obstruction by *Candida albicans*. *Mykosen* 29: 455-460, 1986
206. Hiruma M, Kagawa S. A case of sporotrichosis with numerous fungal elements phagocytized by polymorphonuclear leukocytes *Mykosen* 29: 59-63, 1986
207. Hiruma M, Kagawa S: Effects of hyperthermia on phagocytosis and intracellular killing of *Sporothrix schenckii* by polymorphonuclear leukocytes. *Mycopathologia* 95: 93-100, 1986
208. Hiruma M, Kagawa S. Ultrastructure of *Cryptococcus neoformans* in the cerebrospinal fluid of a patient with cryptococcal meningitis. *Mycopathologia* 89: 5-12, 1985
209. Hiruma M, Kagawa S: The effects of heat on *Sporothrix schenckii* in vitro and in vivo. *Mycopathologia* 84: 21-30, 1983
210. Hiruma M, Katoh T, Yamamoto I, Kagawa S. Local hyperthermia in the treatment of sporotrichosis. *Mykosen* 30: 315-321, 1978